

**From:** [David Favero](#)  
**To:** [Lam, Shelly](#); "[Fisher, Sarah](#)"  
**Cc:** [Heller, Donald](#); "[Beodray, Frank](#)"; "[Strobridge, Daniel M.](#)"; "[Landry, Paul G.](#)"  
**Subject:** RE: Groundwater Elevation and Pumping Data  
**Date:** Wednesday, April 16, 2014 6:32:19 AM

---

We will review the questions/comments and get back to you as soon as practical.

Thank you,  
*David Favero*

217.741.6235 | [dmfavero@comcast.net](mailto:dmfavero@comcast.net)

---

**From:** Lam, Shelly [mailto:[lam.shelly@epa.gov](mailto:lam.shelly@epa.gov)]  
**Sent:** Tuesday, April 15, 2014 9:19 AM  
**To:** Fisher, Sarah; David Favero  
**Cc:** Heller, Donald; Beodray, Frank; Strobridge, Daniel M.; Landry, Paul G.; Lam, Shelly  
**Subject:** FW: Groundwater Elevation and Pumping Data

Please see Dan's request below. Thank you in advance for any help you can provide.

Shelly Lam, LPG  
Federal On-Scene Coordinator  
U.S. EPA  
2525 N. Shadeland Avenue, Suite 100  
Indianapolis, IN 46219  
Office: 317-308-3073  
Cell: 317-417-0980

Hi Mr. Favero,

I really appreciate your sending the spreadsheet with the water levels and pumping rates that Shelly requested on my behalf. I have a related follow-up request that will hopefully be fairly simple if you. Please let me know if this is not the case. We are trying to use the Allison Transmission water levels to demonstrate that there's a southwest flow direction in the southwest portion of the Michigan Plaza site. The abundance of data you provided will certainly allow us to make this case but I can currently only use a portion of your data because I'm missing some well construction details for a number of wells.

The attached spreadsheet contains two sheets:

- a) "piezo" – my edits to the water levels tab you sent, and
- b) "no info" – a list of the wells for which I have no coordinates or screened intervals to be able use the associated data.

First, I would really appreciate it if you could run a quick query against your database to populate the empty columns on the "no info" tab for me. If there were just a handful of locations, I would digitize the coordinates and make an assumption about screened intervals based on the abundance of wells in each sand unit. However, there are just too many wells to do this for and I would like to keep my analysis as accurate as possible. You'll notice I've included a "source" column. I originally

identified wells with missing information based on the water levels file you sent. I had subsequently found additional wells after processing VOC hits tables.

Second, I encountered a few issues with the gauging data. I have made a couple of assumptions about how they occurred to enable me to use your data and would like to bring them to your attention in case your hydrogeologists had not already noticed and fixed the issues during their processing. The issues were as follows:

- a) The reported GW elevations sometimes did not equal the TOC minus the DTW.
- b) There were a few occasions where it appeared the LNAPL and water levels had been transposed
- c) The LNAPL thicknesses often did not equal the difference between the two levels reported
- d) There were several occasions where the TOC was blank despite having a TOC prior to and after the blank cell that were equal.
- e) There were several rows where a GW elevation and/or NAPL thickness had been calculated despite the absence of an observation and/or TOC value.

I assume most, if not all, of these issues are cosmetic and stem from the idea that the person who is creating the tables for the reports is not the same person who is creating the potentiometric maps from the data. I can easily envision how someone who is simply trying to make a pretty table for a report might have inadvertently modified the table from its original form during the formatting process. I have flipped the DTW and LNAPL levels where applicable and have populated the TOCs and listed my rationale when doing so. I've also deleted the records where no water level was gauged. Lastly, I created alternate GW elevation and NAPL thickness columns as well as columns that report the difference between my versions and the originals. The latter can be sorted/filtered to more easily find what I believe may be errors resulting from the formatting process. I just wanted to let you know about them so you can ensure that your analysts are working with the best possible dataset.

Thanks,  
Dan

Dan Strobridge  
Hydrogeologist/GIS Developer  
Weston Solutions, Inc  
1400 Weston Way  
West Chester, PA 19380  
Ph: 610-701-3442

---

**From:** Lam, Shelly [<mailto:lam.shelly@epa.gov>]  
**Sent:** Tuesday, April 01, 2014 10:07 AM  
**To:** Landry, Paul G.; Beodray, Frank; Strobridge, Daniel M.

**Cc:** Lam, Shelly  
**Subject:** FW: Groundwater Elevation and Pumping Data

Shelly Lam, LPG  
Federal On-Scene Coordinator  
U.S. EPA  
2525 N. Shadeland Avenue, Suite 100  
Indianapolis, IN 46219  
Office: 317-308-3073  
Cell: 317-417-0980

---

**From:** David Favero [<mailto:dmfavero@comcast.net>]  
**Sent:** Tuesday, April 01, 2014 10:06 AM  
**To:** Lam, Shelly; Heller, Donald  
**Cc:** 'Sarah Fisher, ARCADIS'  
**Subject:** RE: Groundwater Elevation and Pumping Data

An Excel spreadsheet is attached for your use.

Thank you,  
*David Favero*

217.741.6235 | [dmfavero@comcast.net](mailto:dmfavero@comcast.net)

---

**From:** Lam, Shelly [<mailto:lam.shelly@epa.gov>]  
**Sent:** Tuesday, April 01, 2014 9:03 AM  
**To:** David Favero; Heller, Donald  
**Cc:** Sarah Fisher, ARCADIS; Marilyn Dedyne, GM; Francis Ramacciotti, ENVIRON; Lam, Shelly  
**Subject:** RE: Groundwater Elevation and Pumping Data

Thank you so much.

Shelly Lam, LPG  
Federal On-Scene Coordinator  
U.S. EPA  
2525 N. Shadeland Avenue, Suite 100  
Indianapolis, IN 46219  
Office: 317-308-3073  
Cell: 317-417-0980

---

**From:** David Favero [<mailto:dmfavero@comcast.net>]  
**Sent:** Tuesday, April 01, 2014 8:48 AM  
**To:** Heller, Donald  
**Cc:** Sarah Fisher, ARCADIS; Marilyn Dedyne, GM; Francis Ramacciotti, ENVIRON  
**Subject:** Groundwater Elevation and Pumping Data

Don,  
The attached information is provided for EPA's information. Please let us know if you have any questions.

Thank you,  
*David Favero*

217.741.6235 | [dmfavero@comcast.net](mailto:dmfavero@comcast.net)

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.